



pelsis

*PRECISE.
POWERFUL.
DEPENDABLE.
WORLD-CLASS
EQUIPMENT.*

A FAMILY OF BRANDS WITH ONE SHARED PURPOSE

Our customers are on the front lines taking on pests, germs and other challenges that threaten peace of mind. That's why our products can't afford to fail. It's why we obsess over every detail and innovate with precise intention. Everything we do is to empower our customers with the best professional equipment in the world, so they can get the job done to the highest potential.

WE ARE pelsis

To find out more about the Pelsis Group and our brands, visit pelsis.com

B&G

CURTIS DYNA-FOG[®] Ltd.

SYNERGETIC[®]

 **EDIALUX**
PROFESSIONAL PRODUCTS

NETWORK

P+L Systems[®]
Washroom

SILVANDERSSON 


AGRISENSE

THE BEST DISINFECTION EQUIPMENT WHERE IT MATTERS MOST.

Disinfection is much more complex than spraying a surface and getting results. Every environment, surface and application requires a different process to ensure the treatment is as effective as possible. As the leader in the industry, you can trust in our products to get the job done right every time.

B&G CURTIS DYNA-FOG[®] Ltd



08

Hurricane ES

Hand-carry electrostatic
ULV fogger



10

Hurricane Ultra II


Hand-carry electric ULV fogger



12

Cyclone Ultra

Hand-carry electric ULV
fogger



14

Tornado & Tornado Flex

Hand-carry electric ULV fogger



16

Flex-A-Lite 2600


Hand-carry electric ULV
fogger



18

Dyna-Jet L-30

Battery-powered electric
truck-mount ULV fogger



20

Portable Aerosol System (PAS)

Aerosol electric ULV fogger



22

Portable Aerosol System (PAS), Cart Mounted

Aerosol electric ULV fogger



24

Nightstar

Automated, electric ULV fogger,
cart-mounted



26

Versa-Fogger

Gasoline-powered
backpack ULV fogger



28

Twister XL3

Gasoline-powered
backpack ULV fogger



THE RIGHT PRODUCTS. THE RIGHT APPLICATION. THE RIGHT WAY.

Our products are known for being the best in the world. And when used for the right application, they're unstoppable. Backed by decades of expertise and dependability, we can help you find the perfect equipment for any surface or any space. Use this guide to find exactly what you're looking for.

OUTDOOR SPACES

Label directions must be read, understood and followed. Personal protection equipment (PPE) prevents exposure during application by hand-carry and backpack foggers. Air currents outdoors will reduce coverage and carry droplets away to non-target sites. Open doors and air vents near treated areas may allow fog to enter. Consider the length and width of the droplet plume when using hand-carry foggers. Over-application to surfaces results in runoff on wet surfaces. Use ear-protection when using backpack foggers.

LOCATION	EQUIPMENT TYPE	PRODUCT
LARGE OPEN SPACES		
Surfaces in sports stadiums, auto-racing venues, amphitheaters	Backpack ULV fogger (gasoline power)	Twister XL3 Versa-Fogger
CRITICAL SURFACES		
Handrails, door handles, vending machines, water fountains, golf carts	Hand-carry ULV fogger (electric)	Hurricane ES (electrostatic) Hurricane Ultra II
SEMI-OPEN SURFACES		
Bus, tram and train station platforms, car-park elevators	Backpack ULV fogger (gasoline power)	Twister XL3 Versa-Fogger
	Hand-carry ULV fogger (electric)	Hurricane ES (electrostatic) Hurricane Ultra II

INDOOR SPACES

Label directions must be read, understood and followed. Personal protection equipment (PPE) prevents exposure during application by hand-carry foggers in small spaces. Air currents in confined spaces will distribute small droplets during and after application. Re-entry of treated areas must take into consideration that the deposition of small droplets in the fog may require 30 minutes. Consider the length and width of the droplet plume when using hand-carry foggers. Over-application to surfaces will result in runoff on wet surfaces.

LOCATION	EQUIPMENT TYPE	PRODUCT
ENCLOSED SPACES		
Rooms, office cubicles, hallways, kitchens, elevators, school and commercial buses, train cars, commercial trucks	Hand-carry ULV fogger 1, 1.5-gal tank (electric)	Hurricane ES Flex-A-Lite 2600 Hurricane Ultra II Cyclone Ultra
	Carry-case and cart-mounted ULV fogger 1, 3-gal tank	Portable Aerosol System
CRITICAL SURFACES		
Handrails, doors, hospital bed frames, vending machines, water fountains	Hand-carry ULV fogger 1-gal tank	Hurricane ES (electrostatic) Hurricane Ultra II
LARGE ROOM SURFACES		
Office desks, chairs and breakrooms, gym bleachers and locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters	Hand-carry electric ULV fogger 1, 3-gal tank	Flex-A-Lite 2600 Hurricane Ultra II Cyclone Ultra Tornado, Tornado Flex
	Carry-case and cart-mounted ULV fogger 1, 3-gal tank Automated ULV fogger (cart mounted)	Portable Aerosol System Nightstar
LARGE CLOSED SPACES		
Airport and hotel lobbies, sports arenas, convention centers	Cart-mounted ULV fogger with 300 ft droplet plume to treat 60,000 cu ft	Nightstar Dyna-Jet L-30

HURRICANE ES

Hand-carry electrostatic ULV fogger

EVEN COVERAGE ON THE ENTIRE TARGET SURFACE EVERY TIME.

Built for precision, the Hurricane ES uses electrostatic technology to charge each droplet, providing uniform coverage on indoor and outdoor critical and semi-open surfaces. Target handrails, doorknobs and other high-touch surfaces, as well as train stations and enclosed spaces with this point-and-spray directional ULV fogger.



INDOOR / OUTDOOR



CRITICAL SURFACES, SEMI-OPEN SURFACES & ENCLOSED SPACES

Handrails, doors, hospital bed frames, vending machines, water fountains, golf carts; bus, tram & train station platforms, car-park elevators; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

ELECTROSTATIC THRESHOLD DISTANCE	12-18 in from front of the fogger
SYSTEM	Hand-carry
TANK SIZE	1-gal tank
WEIGHT	7.635 lbs (empty)
ADJUSTABLE FLOW RATES	0-6.6 oz/min, 3 gal/hr
DROPLET SIZE	10-50 microns, droplet throw 15 ft
COVERAGE	60-80 sq ft
MODEL # 3001-5	110/120 volt AC, 6.8 amps, 50/60 hz
MODEL # 3001-6	220/240 volt AC, 3.4 amps, 50/60 hz
DISINFECTANT COMPATIBILITY	Water-based formulations
DIMENSIONS	H 16 in / W 10 in / L 9 in

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



Hotels



Schools



Medical
Facilities



Airports



Offices



Assisted Living
Centers



Fitness Clubs



Platforms



Kitchens

PRODUCTS



ITEM #	DESCRIPTION	MODEL #	ORDER #
1	Hurricane ES 110 volt	3001-5	62150-3
2	Hurricane ES 220 volt	3001-6	62150-4

HURRICANE ES

HIGH CAPACITY CHARGING SYSTEM

PRECISION NOZZLES

- Uniform and consistent coverage
- Three precision nozzles for greater output

ADJUSTABLE TILT LOCKING KNOB

FILL CAP WITH TETHER

STAINLESS STEEL METERING VALVE

- Precision flow rate and droplet control maximizes use of chemicals

1-GAL TANK

- Translucent for easy visual reference
- Corrosion & impact resistant
- Low-profile design virtually eliminates tipping

6-FT ELECTRIC POWER CORD INCLUDED



HURRICANE ULTRA II

Hand-carry electric ULV fogger

ALL THE POWER AND PRECISION TO TACKLE SURFACES BOTH LARGE AND SMALL.

The Hurricane Ultra II is a premier choice for critical, high-touch surfaces, large indoor areas and outdoor semi-open surfaces. Confidently disinfect indoor enclosed spaces such as elevators and buses, as well outdoor areas like train station platforms. Its chemical-resistant precision nozzle and low-profile, sturdy tank make the Hurricane Ultra II both functional and incredibly reliable.



INDOOR / OUTDOOR



CRITICAL SURFACES, SEMI-OPEN SURFACES, LARGE ROOM SURFACES & ENCLOSED SPACES

Handrails, doors, hospital bed frames, vending machines, water fountains, golf carts; bus, tram & train station platforms, car-park elevators; office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

SYSTEM	Hand-carry
TANK SIZE	1-gal tank
WEIGHT	7.630 lbs (empty)
ADJUSTABLE FLOW RATES	0-6.6 oz/min, 3-gal/hr
DROPLET SIZE	10-50 microns, droplet throw 15 ft
COVERAGE	60-80 sq ft (for water-based application)
MODEL # 2794	110/120 volt AC, 6.8 amps, 50/60 hz
MODEL # 2796	220/240 volt AC, 3.4 amps, 50/60 hz
DISINFECTANT COMPATIBILITY	Water- and oil-based formulations
DIMENSIONS	H 16 in / W 10 in / L 8.5 in

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



Hotels



Schools



Medical
Facilities



Airports



Offices



Assisted Living
Centers



Fitness Clubs



Platforms

PRODUCTS



ITEM #	DESCRIPTION	MODEL #	ORDER #
1	Hurricane Ultra II 110 volt	2794	62150-1
2	Hurricane Ultra II 220 volt	2796	62150-2

HURRICANE ULTRA II



CYCLONE ULTRA

Hand-carry electric ULV fogger

TAKE ON INDOOR AREAS WITH ULTIMATE EFFICIENCY. JUST SPRAY AND WALK AWAY.

Apply disinfectants more efficiently with the Cyclone Ultra. Equipped with a Microtec™ nozzle, the Cyclone creates small, consistent droplets that evaporate, so you can spray and walk away without wiping. Quickly and reliably disinfect large indoor surfaces and enclosed spaces in heavily trafficked areas.



INDOOR



LARGE ROOM SURFACES & ENCLOSED SPACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

SYSTEM	Hand-carry
TANK SIZE	1-gal tank
WEIGHT	9.3 lbs (empty)
ADJUSTABLE FLOW RATES	1.4-3.1 oz/min, 0.6-1.5 gal/hr
DROPLET SIZE	8-10 microns, droplet throw 8-12 ft (formulations with high viscosity have larger droplets, 20-24 microns)
BLOWER	Continuous duty, 200,000 rpm with replaceable brushes
MODEL # 2734	110/120 volt AC, 8.5 amps, 50/60 hz
MODEL # 2736	220/240 volt AC, 4.2 amps, 50/60 hz
DISINFECTANT COMPATIBILITY	Water- and oil-based formulations with moderate to high viscosity

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



Schools



Offices



Assisted Living
Centers



Fitness Clubs



Kitchens

PRODUCTS



ITEM #	DESCRIPTION	MODEL #	ORDER #
1	Cyclone Ultra 110 volt	2734	62250-1
2	Cyclone Ultra 220 volt	2736	62250-2

CYCONE ULTRA



TORNADO, TORNADO FLEX

Hand-carry electric ULV fogger

CAPACITY TO COVER LARGE ROOM SURFACES IN ONE PASS.

The Tornado and Tornado Flex are built with a large 3-gallon tank for extended use. These hand-carry ULV foggers are ideal for disinfection of large indoor surfaces—such as theater seats and commercial kitchens—without frequent refills. The Tornado Flex has an 18-inch hose for more directional application and precision.



INDOOR



LARGE ROOM SURFACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters

SPECIFICATIONS

SYSTEM	Hand-carry
HOSE	Tornado Flex: 18 in
TANK SIZE	3-gal tank
WEIGHT	Tornado: 18.8 lbs (empty) Tornado Flex: 20 lbs (empty)
ADJUSTABLE FLOW RATES	2.4–11.4 oz/min, 1.1–5.3 gal/hr
DROPLET SIZE	5–40 microns
MODEL # 2895	110/125 volt AC, 8.5 amps, 50/60 hz
MODEL # 2897	210/250 volt AC, 4.2 amps, 50/60 hz
DISINFECTANT COMPATIBILITY	Water- and oil-based formulations with moderate to high viscosity

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



Hotels



Schools



Offices



Assisted Living
Centers



Fitness Clubs




Theaters



Kitchens

PRODUCTS



ITEM #	DESCRIPTION	MODEL #	ORDER #
1	Tornado 110 volt	2895	62380
2	Tornado 220 volt	2897	62382

TORNADO, TORNADO FLEX



TORNADO FLEX

- 18-in flexible hose for directional application and precision

PRECISION NOZZLE

ADJUSTABLE TILT LOCKING KNOB

3-GAL TANK

- Large capacity for extended use
- Translucent for easy visual reference
- Corrosion & impact resistant

ELECTRIC POWER CORD INCLUDED

FLEX-A-LITE 2600

Hand-carry electric ULV fogger

AN ICONIC FOGGER WITH A FLAWLESS TRACK RECORD.

The industry standard in point-and-spray ULV foggers, the Flex-A-Lite 2600's reputation precedes itself. With a 1.5-gallon tank and four sturdy feet, you can plant the Flex-A-Lite on the ground securely. This rugged and dependable ULV fogger can cover large indoor surfaces and enclosed spaces such as hotel lobbies and train cars with a hose for directional application.



INDOOR



LARGE ROOM SURFACES & ENCLOSED SPACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

SYSTEM	Hand-carry
HOSE	18 in
TANK SIZE	1.5-gal tank
ADJUSTABLE FLOW RATES	0-9.4 oz/min, 0-4.4 gal/hr
DROPLET SIZE	ULV (20-35 microns) to power mist (56 microns), droplet throw 15 ft
COVERAGE	40 sq ft at high application setting
DISINFECTANT COMPATIBILITY	Water- and oil-based formulations with low to moderate viscosity

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



Hotels



Schools



Offices



Assisted Living Centers



Fitness Clubs




Kitchens

PRODUCTS



ITEM #	DESCRIPTION	MODEL #	ORDER #
1	Flex-A-Lite ULV fogger 110 volt	2600	15014901
2	Flex-A-Lite ULV fogger 220 volt (lt. blue)	2600	15014920
3	Optional 36-in hose (hose only)	2600	29108305
4	Optional 48-in hose (hose only)	2600	29108268

FLEX-A-LITE-2600



DYNA-JET L-30

Battery-powered (electric) truck-mount ULV fogger

WHERE POWER AND ACCURACY MEET MOBILITY AND EFFICIENCY.

Cover more ground with the Dyna-Jet L-30 truck-mount ULV fogger. This powerful yet compact battery-operated cold fogger is perfect for airports, arenas and other large, highly populated indoor spaces. With a quiet battery, wide plume and accurate rotary atomizer, you can cover areas with small droplets that evaporate quickly for incredibly efficient disinfection.



INDOOR



LARGE CLOSED SPACES

Airport and hotel lobbies, sports arenas, convention centers, warehouses

SPECIFICATIONS

ENGINE	Atomizer motor 12 volt DC, brushless, high speed-shielded bearings, water-resistant cover
BLOWER	High-output, 1,350 cu ft/min
SYSTEM	Truck mount
TANK SIZE	15-gal tank
FLUSH TANK SIZE	1-gal tank
WEIGHT	147 lbs (with battery), 105 lbs (without battery)
ADJUSTABLE FLOW RATES	14 oz/min, swath distance (30 m)
DROPLET SIZE	90% of droplets 20 microns or below, droplet throw 50 ft
DIMENSIONS	H 39 in / W 29 in / L 44 in
SHIPPING DATA	H 46 in / W 36 in / L 46 in
NOISE LEVEL	69 db at loudest point
DISINFECTANT COMPATIBILITY	Water-based formulations

OPTIONAL

- 12 volt high-performance battery with AC charging kit
- Synchroflow Radar Flow Control
- Dyna-trax GPS tracking system
- Digital tachometer
- AC timer kit
- Large capacity filter kit
- Application-specific formulation filters
- Water-resistant machine cover

IDEAL FOR LARGE COMMERCIAL AREAS



Stadiums



Airports



Hotels



Convention Centers



Warehouses

PRODUCTS



ITEM #	DESCRIPTION	MODEL #
1	Dyna-Jet L-30 Electric ULV Aerosol Generator	65100
2	Dyna-Jet L-30 Electric ULV Aerosol Generator - Export only	65100-20
3	Dyna-Jet L-30 Electric ULV GPS Synchroflow	65100-1G
4	Dyna-Jet L-30 Electric ULV Radar Synchroflow	65100-1R

DYNA-JET L-30



PORTABLE AEROSOL SYSTEM (PAS)

Aerosol electric ULV fogger

PORTABLE, PINPOINT ACCURACY BUILT TO GO THE DISTANCE.

Known as a workhorse in the industry, the Portable Aerosol System (PAS) has fine-droplet fogging capabilities and a 10-foot point-and-spray hose for maximum control and mobility. The extra-long hose allows operators to move freely around spaces like airplanes, classrooms and buses, without needing to carry the entire unit. Add the extra wand extension for even more coverage from a distance.



INDOOR



LARGE ROOM SURFACES & ENCLOSED SPACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

SYSTEM	Hand-carry
HOSE	Standard models: 10 ft, self-coiling, Commercial models: 15 ft, self-coiling
TANK SIZE	1-gal tank
ADJUSTABLE FLOW RATES	4-10 oz/min
DROPLET SIZE	40-50 microns (at max flow rate, gauge 30 psi), droplet throw 15 ft with effective distance of 10 ft
COVERAGE	20 sq ft (at 30 psi)
DISINFECTANT COMPATIBILITY	Water- and oil-based formulations with low to moderate viscosity

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



Hotels



Schools



Offices



Assisted Living
Centers



Fitness Clubs




Theaters



Kitchens

PRODUCTS



ITEM #	DESCRIPTION	ORDER #
1	PAS 110 volt with 9-in extension	16290000
2	PAS 110 volt with 18-in extension	16300000
3	Commercial PAS 110 volt with 9-in extension	16270000
4	Commercial PAS 110 volt with 18-in extension	16400000
5	PAS 220 volt with 18-in extension	16310220
6	Commercial PAS 220 volt with 18-in extension	16410220

PORTABLE AEROSOL SYSTEM (PAS)

10-FT SELF-COILING HOSE

- Included on standard model (commercial model includes 15-ft hose)
- Provides increased mobility and control

DURABLE CASE

1-GAL TANK

- Stainless steel
- Removable for cleaning & filling

BRASS AND STAINLESS STEEL GUN

- Choice of 9-in or 18-in extension

FINE DROPLET NOZZLE

COOLING PORT ON COMMERCIAL UNITS ONLY



CART-MOUNTED PORTABLE AEROSOL SYSTEM (PAS)

Aerosol electric ULV fogger

MOVE FREELY WITH CART-MOUNTED MOBILITY.

Everything the PAS is known for—long hose, added extension, targeted point-and-spray—but with a larger tank and extra mobility. Conveniently and efficiently treat classrooms, hotel and cruise ship spaces by rolling the cart-mounted PAS from room to room, or treat other large room surfaces and enclosed spaces with extra tank capacity.



INDOOR



LARGE ROOM SURFACES & ENCLOSED SPACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

SYSTEM	Cart-mounted
HOSE	15 ft, self-coiling
TANK SIZE	3-gal tank
ADJUSTABLE FLOW RATES	4-10 oz/min
DROPLET SIZE	40-50 microns (at max flow rate, gauge 30 psi), droplet throw 15 ft with effective distance of 10 ft
COVERAGE	20 sq ft (at 30 psi)
DISINFECTANT COMPATIBILITY	Water- and oil-based formulations with low to moderate viscosity

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



Hotels



Schools



Offices



Assisted Living
Centers



Fitness Clubs



Theaters



Kitchens

PRODUCTS



ITEM #	DESCRIPTION	ORDER #
1	Cart-mounted PAS with 18-in extension	12011030

CART MOUNTED PORTABLE AEROSOL SYSTEM (PAS)

BRASS AND STAINLESS STEEL GUN

- With 18-in extension
- Fine droplet nozzle

15-FT SELF-COILING HOSE

- Long hose provides extended reach

STAINLESS STEEL 3-GAL TANK

- Extra capacity for longer run-time

ELECTRIC POWER CORD

PORTABLE CART MOUNT



NIGHTSTAR

Automated electric ULV fogger, cart-mounted

DISINFECT LARGE SPACES WITH AUTOMATED TECHNOLOGY.

The Nightstar large-capacity fan is completely automated, programmable and built to work hands-free. Perfect for fogging or treating large indoor spaces, the Nightstar can disinfect up to 60,000 square feet during down time or overnight, without an operator. Just set it up, and let the state-of-the-art technology do the work.



INDOOR



LARGE CLOSED SPACES & LARGE ROOM SURFACES

Airport & hotel lobbies, sports arenas, convention centers; office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters

SPECIFICATIONS

MOTOR	Single phase, 50-60 hz
SYSTEM	Automated, cart-mounted fan
TANK SIZE	3-gal tank
WEIGHT	220 lbs (empty)
AIR OUTPUT	8,000 cfm
FLOW RATE AND DROPLET SIZES	0.8gal/hr=8 microns; 2 gal=20 microns, 2.5 gal=30 microns, 4.1 gal=50 microns
DROPLET THROW	With fan 300 ft, nozzle only 50 ft
NOISE LEVEL	78 db at loudest point
DISINFECTANT COMPATIBILITY	Water-based formulations

OPTIONAL

- 15-gal tank

IDEAL FOR LARGE COMMERCIAL AND RESIDENTIAL AREAS



Stadiums



Schools



Medical Facilities



Airports



Offices



Assisted Living Centers



Fitness Clubs



Theaters



Hotels




Convention Centers

PRODUCTS



ITEM #	DESCRIPTION	MODEL #	ORDER #
1	Nightstar 110 volt	1901	64100-1
2	Nightstar 220 volt	1902	64100-2

NIGHTSTAR



VERSA-FOGGER

Gasoline-powered backpack ULV fogger

COVER MORE GROUND WITH VERSA-FOGGER ON YOUR BACK.

Portable and powerful, the Versa-Fogger is ideal for outdoor spaces ranging from large stadium applications and surfaces, down to those hard-to-reach spots. With mobility, range and precision, this backpack ULV fogger fully covers every target.



OUTDOOR



LARGE OPEN SPACES & SEMI-OPEN SURFACES

Surfaces in sports stadiums, auto-racing venues, amphitheaters; bus, tram & train station platforms, car-park elevators

SPECIFICATIONS

ENGINE	_____	Honda 4-stroke
SYSTEM	_____	Gasoline-powered backpack
HOSE	_____	4 ft
TANK SIZE	_____	1-gal tank
WEIGHT	_____	26 lbs (empty)
DROPLET SIZE	_____	33-44 microns (oil-based formulations provide 20 micron droplets), effective droplet throw 10-12 ft
DISINFECTANT COMPATIBILITY	_____	Water- and oil-based formulations

OUTDOOR USE ONLY, IDEAL FOR COMMERCIAL AREAS



Stadiums




Amphitheaters



Platforms

PRODUCTS



ITEM #	DESCRIPTION	ORDER #
1	Versa-Fogger	45000000

VERSA-FOGGER

1-GAL PRESSURIZED TANK

- Translucent for easy visual reference

LIGHTWEIGHT FRAME

THREE-STAGE ROTARY BLOWER

4-FT HOSE

ADJUSTABLE HANDHELD NOZZLE

HEAVY-DUTY ISOLATORS

- Reduce engine vibration

4-STROKE MOTOR

- Gasoline powered
- Low emissions and high performance
- 0.67 qt fuel capacity
- No need to mix oil with the gas



TWISTER XL3

Gasoline-powered backpack ULV fogger

COMPACT DESIGN WITH POWER ABOVE ITS WEIGHT CLASS.

The Twister XL3 is the premier, most sophisticated backpack ULV fogger on the market. With the remarkable Microtec™ nozzle and blower system, the Twister XL3 delivers small droplets and the highest flow rates in the industry. Used in open-air spaces like stadiums and amphitheatres, this gasoline-powered ULV fogger is strong, accurate and durable. If you want the best, most-advanced technology available, you want the Twister XL3.



OUTDOOR



LARGE OPEN SPACES & SEMI-OPEN SURFACES

Surfaces in sports stadiums, auto-racing venues, amphitheatres; bus, tram & train station platforms, car-park elevators

SPECIFICATIONS

ENGINE	Honda 4-stroke, operating speed 7,500 rpm
SYSTEM	Gasoline-powered backpack
HOSE	4 ft
TANK SIZE	1-gal tank
WEIGHT	26 lbs (dry weight)
ADJUSTABLE FLOW RATES	1.5-6 oz/min (interchangeable nozzles)
DROPLET SIZE	10-34 microns (oil-based formulations provide 10-micron droplets), effective droplet throw 10-12 ft
DISINFECTANT COMPATIBILITY	Water- and oil-based formulations
DIMENSIONS	H 22.5 in / W 12 in / L 14.7 in
SHIPPING DATA	H 16 in / W 19 in / L 26 in; 36 lbs; 4.39 cu ft

OUTDOOR USE ONLY, IDEAL FOR COMMERCIAL AREAS



Stadiums



Amphitheatres



Platforms

PRODUCTS



ITEM #	DESCRIPTION	ORDER #
1	Twister XL3	39750
2	Optional Twin Nozzle Kit only	39716

TWISTER XL3

1-GAL TANK

- Translucent for easy visual reference

LIGHTWEIGHT FRAME

THREE-STAGE ROTARY BLOWER

4-FT HOSE

MICROTEC™ NOZZLE


- Highest flow rates in the industry
- Optional twin nozzles

HEAVY-DUTY ISOLATORS

- Reduce engine vibration

4-STROKE MOTOR

- Gasoline powered
- Low emissions and high performance
- No need to mix oil with the gas



Contact us to learn more:

800-544-8811

us.pelsis.com

135 Region South Drive,
Jackson, GA 30233

WE ARE  **pelsis**

A FAMILY OF BRANDS WITH ONE SHARED PURPOSE

B&G

CURTIS DYNA-FOG[®] _{Ltd.}

SYNERGETIC[®]

 **EDIALUX**
PROFESSIONAL PRODUCTS

NETWORK

P+L Systems[®]
Washroom

SILVANDERSSON 


AGRISENSE